
New Range Hoods Offer Ventilation Solutions for Today's Kitchens

Hartford, Wis., June 15, 2004 – Two new range hood designs from Broan-NuTone are available to meet the ventilation and design needs of homeowners, according to Brian Wellnitz, Broan-NuTone product manager for range hoods.

The inconspicuous design of the Best by Broan® U102 Slim-Line Under-Cabinet hood is one of its key benefits, says Wellnitz. When slid under the cabinet, only 1 ½-inch of the hood is visible. When in use, the hood is 18 ½-inch deep. This hood is available in 30-, 36- and 42-inch widths.

Available in deluxe-grade, 304 stainless steel, black and white, the U102 features a 500 CFM (cubic feet of air per minute) internal blower, decorative dishwasher-safe filters and brilliant, dual halogen lighting with two illumination settings. Additional features include a 10-minute time-delay shut-off, a reminder indicator for filter maintenance and Heat



RANGEMASTER®
BY BROAN · NUTONE

***New from
Broan-NuTone
at PCBC 2004
Booth #6333
(North Hall)***

For More
Information

Contact:
Karen Collins
926 W. State St.
Hartford, WI 53027
(262) 673-8530
Fax (262) 673-8638
Kcollins@broan.com

For Hi-Res Images

Contact:
Joy Brotherton
Griffin & Company, Inc.
(202) 625-2515
brotherton@griffinco.com

(more)

Sentry™, which detects excessive heat and automatically adjusts the blower speed to high.

“Especially unique to the U102 model is its ability to be used with external blowers to move up to 1,500 CFM. This means the hood can be used with some of the higher-performance designer cook tops on the market today. No other slim-line product allows for this feature,” says Wellnitz.

“The Rangemaster® by Broan-NuTone RM53000 chimney hood features the new slim-brick, contemporary design popular in Europe for many years. Designed for use with conventional cook tops, this designer hood helps make dreams come true with its achievable price,” says Wellnitz.

With a stainless-steel finish, and low 3 ⅛-inch rectangular profile, the RM53000 is available in 30-, 36- and 42-inch widths and is designed to be installed in kitchens with eight- to nine-foot ceilings or higher with optional or special order flue extensions.

Featuring a 370 CFM internal blower, the RM53000 can be ducted or non-ducted for recirculation. The hood has a conveniently-located, but out-of-sight, three-speed control, dual halogen lighting, an on/off indicator and also features Heat Sentry. The fully enclosed bottom and easy-to-remove dishwasher-safe filters make the hood easy to clean.

(more)

Broan-NuTone continues to take the leadership role, ensuring all high-end Best by Broan and Rangemaster by Broan-NuTone range hoods are engineered and HVI (Home Ventilation Institute) certified to perform at the standards necessary for today's diverse cooking appliances. Request and specify products with the HVI logo that indicates that the performance specification has been certified accurate, encourages Wellnitz.

Best by Broan[®] and Rangemaster[®] by Broan-NuTone are trademarks of Broan-NuTone LLC, a member of the Broan-NuTone Group and North America's leading manufacturer of residential ventilation products, including kitchen range hoods, bathroom exhaust fans, heater/fan/light combination units, Indoor Air Quality (IAQ) Systems, built-in heaters, whole-house fans, and attic ventilators. Members of the Broan-NuTone Group also manufacture door chimes, trash compactors, medicine cabinets, paddle fans, stereo intercom systems, speakers, central cleaning systems and ironing centers. Broan-NuTone is proud to be an ENERGY STAR[®] partner.

For more information about the full line of Broan-NuTone products,
call 800-558-1711 (Broan), 888-336-3948 (NuTone),
write Broan-NuTone,
926 W. State Street, Hartford, WI 53027
U.S.A.
or visit
www.broan-nutone.com

###